

( SK-RT10)



 **SINKI ELECTRONICS CO., LTD.**

( )

431-824

3 1038-13

TEL : (031) 384-2784

FAX : (031) 384-8897


1.

(2,175Hz) GuardTone

1

가

2.



2.

1) Guard Tone(2,175Hz)

2) 2 (2Wire), (2175Hz) 가

3) , 가


4) 가 가

5) 가 .

6) 가 .(4.2 )


3.

3.1



PTT : 가

: 가 ,




1	(H)
2	
3	
4	
5	PTT(H)
6	PTT(L)
7	GND
8	(+5Vdc)

: ( )

:

: 가

### 3.1



3 (SK-RT10) ( )

: (SK-RT10) (SK-BMG10)

: (SK-RT10)가 (SK-BMG10)

:

.(4.2 )


: (SK-RT10) +12V

: (SK-RT10) ON/OFF

4.

4.1

AC , 110/220V  
DC (SK-RT10) 가 OFF




4.2

(SK-RT10)



4.3



5.

: 2WIRE TONE(2,175Hz)

: 600 ± 20%(@1KHz)

: 0 ± 6 dBm (@600 , 1KHz )

: -25 ± 6 dBm(@600 ,1KHz )

: -40dB

: AC ( :AC110V/220V ± 10%, :DC12V/1.5A)